

Adams, W.J., Kimerle, R.A., & Mosher, R.G. (1985). Aquatic Safety Assessment of Chemicals Sorbed to Sediments. In R.D. Cardwell, R. Purdy, & R. Comotto Bahner (Eds.), *Aquatic Toxicology and Hazard Assessment: Seventh Symposium* (pp. 429-453). 100 Barr Harbor Drive, PO Box C700, West Conshohocken, PA 19428-2959: ASTM International.

Agrawal, Abinash, & Tratnyek, Paul G. (1996). Reduction of Nitro Aromatic Compounds by Zero-Valent Iron Metal. *Environmental Science & Technology*, 30(1), 153-160. <https://doi.org/10.1021/es950211h>

Ambrose, Robert B., Wool, Tim, & Martin, James L. (1993). *The Water Quality Analysis Simulation Program, WASP5 Part A: Model Documentation*.

Anchor QEA, LLC. (2019). *Basis of Design Report for Cap Installation. Detroit River — Detroit Riverfront Conservancy RiverWalk Shore Stabilization Project*. Retrieved from

Anchor QEA, LLC. (2020). *Revised Final Design Report, Version 4. Former Portland Gas Manufacturing Site*. Retrieved from

Anchor QEA, LLC. (2021). *Project Completion Report. Former Portland Gas Manufacturing Site*. Retrieved from

Anderson, Mary P., & Woessner, William W. (1992). *Applied groundwater modeling: simulation of flow and advective transport*. San Diego: Academic Press.

Arcadis, and Tetra Tech. September 2020. *Porewater and Discharge Sampling Data Report. Lower 8.3 Miles of the Lower Passaic River, Operable Unit 2, Diamond Alkali Superfund Site, Essex, Hudson, Bergen, and Passaic Counties, New Jersey, Revision 3*.

Arcadis. (2014a). *Downstream Areas Data Assessment Report, Revision 5. Mayflower Pipeline Incident, Mayflower, Arkansas*. Retrieved from <https://www.adeq.state.ar.us/hazwaste/mayflower-oil-spill/>

Arcadis. (2014b). *Mitigation Action Plan, Revision 1. Mayflower Pipeline Incident Response, Mayflower, Arkansas*. Retrieved from <https://www.adeq.state.ar.us/hazwaste/mayflower-oil-spill/>

Arcadis. (2015). *Mitigation Action Completion Report, Revision 1. Mayflower Pipeline Incident Response, Mayflower, Arkansas*. Retrieved from <https://www.adeq.state.ar.us/hazwaste/mayflower-oil-spill/>

Arcadis. (2017). *Discontinuation of Sheen Monitoring, Post-Construction Maintenance. Mayflower Pipeline Incident Response, Mayflower, Arkansas*. Retrieved from <https://www.adeq.state.ar.us/hazwaste/mayflower-oil-spill/>

Arcadis. (2021). *Treatability Study Evaluation Report. Lower 8.3 Miles of the Lower Passaic River, Operable Unit 2, Diamond Alkali Superfund Site, Essex, Hudson, Bergen, and Passaic Counties, New Jersey. Revision 6*.

Arcadis of Michigan. (2018). *OU1 Construction Completion Report, Manistique River AOC*.

Arcadis of Michigan. (2020). *OU2 Construction Completion Report, Manistique River AOC*.

ASTM. (2017). *Standard Test Methods for Determining the Oil Sorption Capacity of Organophilic Clay*. In. West Conshohocken, PA: ASTM International.

ASTM. (2018a). *Standard Guide for Sediment Corrective Action — Monitoring*. In. West Conshohocken, PA: ASTM International.

ASTM. (2018b). *Standard Guide for Selection and Application of Analytical Methods and Procedures Used during Sediment Corrective Action*. In. West Conshohocken, PA: ASTM International.

ASTM. (2018c). *Standard Practice for Description and Identification of Soils (Visual-Manual Procedure)*. In. West Conshohocken, PA: ASTM International.

ASTM. (2019). *Standard Guide for Core Sampling Submerged, Unconsolidated Sediments*. In. West Conshohocken, PA: ASTM International.

ASTM. 2020. *Standard Practice for Classification of Soils for Engineering Purposes (Unified Soil Classification System)*. D2487-17. West Conshohocken, PA. Last Updated: April 2, 2020. DOI: 10.1520/D2487-17.

ASTM. (2021). *Standard Guide for NAPL Mobility and Migration in Sediment — Evaluating Ebullition and Associated*

NAPL/Contaminant Transport. In. West Conshohocken, PA: ASTM International.

ASTM. (2022). Standard Guide for NAPL Mobility and Migration in Sediments — Evaluation Metrics. In. West Conshohocken, PA: ASTM International.

Australasian Chapter of the International Geosynthetics Society. (2023). Subaqueous Capping of Highly Contaminated Sediments at Kendall Bay — Case Study. Retrieved from <https://www.acigs.org/news/subaqueous-capping-highly-contaminated-sediments-kendall-bay-case-study>

Bibi, Irshad, Niazi, Nabeel Khan, Choppala, Girish, & Burton, Edward D. (2018). Chromium(VI) removal by siderite (FeCO₃) in anoxic aqueous solutions: An X-ray absorption spectroscopy investigation. *Science of the Total Environment*, 640-641, 1424-1431. <https://doi.org/10.1016/j.scitotenv.2018.06.003>

Boudreau, Bernard P. (1998). Mean mixed depth of sediments: The wherefore and the why. *Limnology and Oceanography*, 43(3), 524-526. <https://doi.org/10.4319/lo.1998.43.3.0524>

Boyer, Jean M, Steven C Chapra, Carlos E Ruiz, and Mark S Dortch. 1994. RECOVERY, A Mathematical Model to Predict the Temporal Response of Surface Water to Contaminated Sediments. Army Foreign Science and Technology Center, Charlottesville, VA

Burgess, Robert M., Cantwell, Mark G., Pelletier, Marguerite C., Ho, Kay T., Serbst, Jonathan R., Cook, Howard F., & Kuhn, Anne. (2000). Development of a toxicity identification evaluation procedure for characterizing metal toxicity in marine sediments. *Environmental Toxicology and Chemistry*, 19(4), 982-991. <https://doi.org/10.1002/etc.5620190427>

Burkhard, Lawrence P, Mount, David R, & Burgess, Robert M. (2017). Developing sediment remediation goals at superfund sites based on pore water for the protection of benthic organisms from direct toxicity to non-ionic organic contaminants. In: Office of Research and Development, National Human and Environmental Effects Research Laboratory.

Chen, Wright, Judith V., Conca, James L., & Peurrung, Loni M. (1997). Effects of pH on Heavy Metal Sorption on Mineral Apatite. *Environmental Science & Technology*, 31(3), 624-631. <https://doi.org/10.1021/es950882f>

Chilton, T. H., & Colburn, A. P. (1934). Mass Transfer (Absorption) Coefficients Prediction from Data on Heat Transfer and Fluid Friction. *Industrial & Engineering Chemistry*, 26(11), 1183-1187. <https://doi.org/10.1021/ie50299a012>

Cho, Yeo-Myoung, Upal Ghosh, Alan J Kennedy, Adam Grossman, Gary Ray, Jeanne E Tomaszewski, Dennis W Smithenry, Todd S Bridges, and Richard G Luthy. 2009. Field application of activated carbon amendment for in-situ stabilization of polychlorinated biphenyls in marine sediment. *Environmental science & technology* 43 (10):3815-3823. <https://doi.org/10.1021/es802931c>

Cho, Yeo-Myoung, Smithenry, Dennis W., Ghosh, Upal, Kennedy, Alan J., Millward, Rod N., Bridges, Todd S., & Luthy, Richard G. (2007). Field methods for amending marine sediment with activated carbon and assessing treatment effectiveness. *Marine environmental research*, 64(5), 541-555. <https://doi.org/10.1016/j.marenvres.2007.04.006>

Choudhury, H, Cogliano, J, Hertzberg, R, Mukerjee, D, Rice, G, & Teuschler, L. (2000). Supplementary Guidance for Conducting Health Risk Assessment of Chemical Mixtures. EPA/630/R-00/002. US Environmental Protection Agency Washington, DC.

Clarke, Douglas G, Michael R Palermo, Thomas C Sturgis, and Robert M Engler. 2001. Subaqueous cap design: Selection of bioturbation profiles, depths, and process rates. Engineer Research and Development Center, Vicksburg, MS Environmental Lab.

Cole, Thomas M, & Wells, Scott A. (2006). CE-QUAL-W2: A two-dimensional, laterally averaged, hydrodynamic and water quality model, version 3.5.

Committee, D18. Practice for Classification of Soils for Engineering Purposes (Unified Soil Classification System). Retrieved from

Conca, James L., & Wright, Judith. (2006). An Apatite II permeable reactive barrier to remediate groundwater containing Zn, Pb and Cd. *Applied Geochemistry*, 21(8), 1288-1300. <https://doi.org/10.1016/j.apgeochem.2006.06.008>

Connolly, John P., Zahakos, Harry A., Benaman, Jennifer, Ziegler, C. Kirk, Rhea, James R., & Russell, Kevin. (2000). A Model of

PCB Fate in the Upper Hudson River. *Environmental Science & Technology*, 34(19), 4076-4087.
<https://doi.org/10.1021/es001046v>

Cornelissen, Gerard, Haftka, Joris, Parsons, John, & Gustafsson, Örjan. (2005). Sorption to Black Carbon of Organic Compounds with Varying Polarity and Planarity. *Environmental Science & Technology*, 39(10), 3688-3694.
<https://doi.org/10.1021/es048346n>

Crannell, Bradley S., Eighmy, T. Taylor, Willson, C., Reible, D.D., & Yin, M. (2004). Pilot-scale reactive barrier technologies for containment of metal-contaminated sediments and dredged materials. Submitted to The NOAA/UNH Cooperative Institute for Coastal and Estuarine Environmental Technology (CICEET). November.

Dewitt, T.H., Jones, J.K.P., Ozretich, R.J., Swartz, R.C., Lamberson, J.O., Schults, D.W., Ditsworth, G.R., Smith, L.M. and Hoselton, L. 1992. The influence of organic matter quality on the toxicity and partitioning of sediment-associated fluoranthene. *Environmental Toxicology and Chemistry*, 11: 197-208. <https://doi.org/10.1002/etc.5620110209>

Di Toro, Dominic M., Christopher S. Zarba, David J. Hansen, Walter J. Berry, Richard C. Swartz, Christina E. Cowan, Spyros P. Pavlou, Herbert E. Allen, Nelson A. Thomas, and Paul R. Paquin. 1991. "Technical basis for establishing sediment quality criteria for nonionic organic chemicals using equilibrium partitioning." *Environmental Toxicology and Chemistry* 10 (12): 1541-1583. <https://doi.org/10.1002/etc.5620101203>.

Diersch, Hans-Jörg G. (2013). *FEFLOW: finite element modeling of flow, mass and heat transport in porous and fractured media*: Springer Science & Business Media.

Diersch, Hans-Jörg G. (2014). *FEFLOW: Finite Element Modeling of Flow, Mass and Heat Transport in Porous and Fractured Media*. Berlin, Heidelberg: Springer Berlin Heidelberg.

EA, & Foth. April 2013. Final Conceptual Site Model for the Manistique River Area of Concern, Schoolcraft County, Michigan. Revision 01.

Fitts Geosolutions, LLC. (2022). *AnAqSim User Guide, Analytic Aquifer Simulator*. Retrieved from <https://www.fittsgeosolutions.com/AnAqSimUserGuide.pdf>

Fitzpatrick, Faith A, Boufadel, Michel C, Johnson, Rex, Lee, Kenneth, Graan, Thomas P, Bejarano, Adriana C, . . . Hayter, Earl. (2015). Oil-Particle Interactions and Submergence from Crude Oil Spills in Marine and Freshwater Environments: Review of the Science and Future Science Needs. In. <https://doi.org/10.3133/ofr20151076>

Gavaskar, Arun, Chattopadhyay, Sandip, Lal, Vivek, Hackworth, Mary, & Sugiyama, Barbara. (2005). An Innovative Capping Technology for Contaminated Sediments. <https://doi.org/10.13140/RG.2.2.11776.12803>

Gefell, Michael J., Kanematsu, Masa, Vlassopoulos, Dimitri, & Lipson, David S. (2018). Aqueous-Phase Sampling with NAPL Exclusion Using Ceramic Porous Cups. *Groundwater*, 56(6), 847-851. <https://doi.org/10.1111/gwat.12827>

Gefell, Michael J., Larue, Mark, & Russell, Kevin. (2019). Vertical Hydraulic Conductivity Measurement by Gravity Drainage. *Groundwater*, 57(4), 511-516. <https://doi.org/10.1111/gwat.12911>

Gentry, Jeff L, Salter-Blanc, Alexandra, Sheets, Keith, Sharma, Bhawana, Tochko, Laura, & Martin, Scott. (2020). Novel shoreline cap for controlling sheen and dissolved-phase constituent discharge. *Remediation Journal*, 30(2), 5-14.
<https://doi.org/10.1002/rem.21642>

Ghosh, Upal, Luthy, Richard G., Cornelissen, Gerard, Werner, David, & Menzie, Charles A. (2011). In-situ Sorbent Amendments: A New Direction in Contaminated Sediment Management. *Environmental Science & Technology*, 45(4), 1163-1168. <https://doi.org/10.1021/es102694h>

Gilmour, Cynthia C., Georgia S. Riedel, Gerhardt Riedel, Seokjoon Kwon, Richard Landis, Steven S. Brown, Charles A. Menzie, and Upal Ghosh. 2013. "Activated Carbon Mitigates Mercury and Methylmercury Bioavailability in Contaminated Sediments." *Environmental Science & Technology* 47 (22): 13001-13010. <https://doi.org/10.1021/es4021074>.

Go, Jason, Lampert, David J., Stegemann, Julia A., & Reible, Danny D. (2009). Predicting contaminant fate and transport in sediment caps: Mathematical modelling approaches. *Applied Geochemistry*, 24(7), 1347-1353.
<https://doi.org/10.1016/j.apgeochem.2009.04.025>

- Gomez-Eyles, Jose L., Yupanqui, Carmen, Beckingham, Barbara, Riedel, Georgia, Gilmour, Cynthia, & Ghosh, Upal. (2013). Evaluation of Biochars and Activated Carbons for In Situ Remediation Of Sediments Impacted With Organics, Mercury, And Methylmercury. *Environmental Science & Technology*, 47(23), 13721-13729. <https://doi.org/10.1021/es403712q>
- Grossman, Adam, & Ghosh, Upal. (2009). Measurement of activated carbon and other black carbons in sediments. *Chemosphere*, 75(4), 469-475. <https://doi.org/10.1016/j.chemosphere.2008.12.054>
- Guidelines for exposure assessment, 57(104) C.F.R. (1992).
- Guo, Huaming, Li, Yuan, Zhao, Kai, Ren, Yan, & Wei, Chao. (2011). Removal of arsenite from water by synthetic siderite: Behaviors and mechanisms. *Journal of Hazardous Materials*, 186(2-3), 1847-1854. <https://doi.org/10.1016/j.jhazmat.2010.12.078>
- Hamrick, John M. (1992). A three-dimensional environmental fluid dynamics computer code: Theoretical and computational aspects. In Special report in applied marine science and ocean engineering ; no. 317. <https://doi.org/10.21220/V5TT6C>
- Hawthorne, Steven B., Grabanski, Carol B., & Miller, David J. (2006). MEASURED PARTITIONING COEFFICIENTS FOR PARENT AND ALKYL POLYCYCLIC AROMATIC HYDROCARBONS IN 114 HISTORICALLY CONTAMINATED SEDIMENTS: PART 1. KOC VALUES. *Environmental Toxicology and Chemistry*, 25(11), 2901. <https://doi.org/10.1897/06-115R.1>
- Hawthorne, Steven B., Grabanski, Carol B., Miller, David J., & Arp, Hans Peter H. (2011). Improving Predictability of Sediment-Porewater Partitioning Models using Trends Observed with PCB-Contaminated Field Sediments. *Environmental Science & Technology*, 45(17), 7365-7371. <https://doi.org/10.1021/es200802j>
- Henry, Tala, Philip Cook, Patricia Cirone, Michael Devito, Bruce Duncan, Robert Pepin, Scott Schwenk, and Steven Wharton. 2008. "Framework for application of the toxicity equivalence methodology for polychlorinated dioxins, furans and biphenyls in ecological risk assessment." *Organohalogen compounds* 65: 300-303.
- Huh, Jae-Hoon, Young-Hoon Choi, Hyun-Jae Lee, Woo Jeong Choi, Chilakala Ramakrishna, Hyoung-Woo Lee, Shin-Haeng Lee, Ji-Whan Ahn, Jae-Hoon Huh, and Young-Hoon Choi. 2016. "The use of oyster shell powders for water quality improvement of lakes by algal blooms removal." *Journal of the Korean Ceramic Society* 53 (1): 1-6
- Hull, J.H., Collins, J. , Collins, S. , Jersak, J. , Lee, T. , & Hritsuk, E. (2015, December 2 and 3). Quality Control Aspects of Active Cap Materials & Placement at East Branch Grand Calumet River: Evaluation of Sorption Characteristics of AquaGate+Organoclay™ Coated Materials. Paper presented at the Sediment Management Work Group Fall Meeting, Arlington, Virginia.
- Hull, John H., Jersak, Joseph M., & McDonald, Blair J. (1998). Examination of a New Remedial Technology for Capping Contaminated Sediments: Large-Scale Laboratory Evaluation of Sediment Mixing and Cap Resistance to Erosive Forces. *Remediation Journal*, 8(3), 37-58. <https://doi.org/10.1002/rem.3440080305>
- Huls, Hubert H, & Costello, M. (2005). Designing assessments for decision making for remediation of contaminated sediments. Paper presented at the Third International Conference on Remediation of Contaminated Sediments, New Orleans, LA.
- International, ASTM. (2009). Standard Practice for Description and Identification of Soils: Visual-manual Procedure: ASTM International.
- Irshad, Bibi, Nabeel Khan, Niazi, Girish, Choppala, & Edward, D. Burton. (2018). Chromium(VI) removal by siderite (FeCO₃) in anoxic aqueous solutions: An X-ray absorption spectroscopy investigation. *Science of the Total Environment*, 640-641, 1424-1431. <https://doi.org/10.1016/j.scitotenv.2018.06.003>
- ITRC. (2008). Use of risk assessment in management of contaminated sites. RISK-2. Retrieved from Washington, DC: <https://projects.itrcweb.org/risk-3/Content/Resources/ITRC2008RISK-2.pdf>
- ITRC. (2011). Incorporating Bioavailability Considerations into the Evaluation of Contaminated Sediment Sites. CS-1. Retrieved from Washington, DC: <https://projects.itrcweb.org/contseds-bioavailability/>
- ITRC. (2012). Incremental sampling methodology. ISM-1. Retrieved from Washington, DC:
- ITRC. (2014). Contaminated Sediments Remediation: Remedy Selection for Contaminated Sediments (CS-2). Retrieved from

Washington, DC: https://projects.itrcweb.org/contseds_remedy-selection/

ITRC. (2016). Long-Term Contaminant Management Using Institutional Controls. Retrieved from Washington, DC: <https://institutionalcontrols.itrcweb.org/>

ITRC. (2021). Sustainable resilient remediation SRR-1. Retrieved from Washington, DC: <https://srr-1.itrcweb.org/>

Jacobs, P.H., & Waite, T.D. (2004). The role of aqueous iron(II) and manganese(II) in sub-aqueous active barrier systems containing natural clinoptilolite. *Chemosphere*, 54(3), 313-324. [https://doi.org/10.1016/S0045-6535\(03\)00751-3](https://doi.org/10.1016/S0045-6535(03)00751-3)

Jacobs, Patrick H., & Förstner, Ulrich. (1999). Concept of subaqueous capping of contaminated sediments with active barrier systems (ABS) using natural and modified zeolites. *Water Research*, 33(9), 2083-2087. [https://doi.org/10.1016/S0043-1354\(98\)00432-1](https://doi.org/10.1016/S0043-1354(98)00432-1)

Jones, CA, & Lick, W. (2001). SEDZLJ: A sediment transport model. Final Report. Retrieved from Santa Barbara, California:

Jonker, Michiel T. O., Sinke, Anja J. C., Brils, Jos M., & Koelmans, Albert A. (2003). Sorption of Polycyclic Aromatic Hydrocarbons to Oil Contaminated Sediment: Unresolved Complex? *Environmental Science & Technology*, 37(22), 5197-5203. <https://doi.org/10.1021/es0300564>

Kanel, Sushil Raj, Manning, Bruce, Charlet, Laurent, & Choi, Heechul. (2005). Removal of Arsenic(III) from Groundwater by Nanoscale Zero-Valent Iron. *Environmental Science & Technology*, 39(5), 1291-1298. <https://doi.org/10.1021/es048991u>

Kirtay, Victoria, Gunther Rosen, Marianne Colvin, Joel Guerrero, Lewis Hsu, Ernie Arias, Robert K Johnston, Bart Chadwick, Jennifer Arblaster, and Melissa Grover. 2017. *Demonstration of In Situ Treatment with Reactive Amendments for Contaminated Sediments in Active DoD Harbors*. ERDC Vicksburg United States.

Knox, Anna Sophia, Paller, Michael H., Milliken, Charles E., Redder, Todd M., Wolfe, John R., & Seaman, John. (2016). Environmental impact of ongoing sources of metal contamination on remediated sediments. *Science of the Total Environment*, 563-564, 108-117. <https://doi.org/10.1016/j.scitotenv.2016.04.050>

Knox, Anna Sophia, Paller, Michael Huntz, & Dixon, Kenneth Lamar. (2014). Evaluation of Active Cap Materials for Metal Retention in Sediments. *Remediation Journal*, 24(3), 49-69. <https://doi.org/10.1002/rem.21394>

Kraaij, Rik, Seinen, Willem, Tolls, Johannes, Cornelissen, Gerard, & Belfroid, Angelique C. (2002). Direct Evidence of Sequestration in Sediments Affecting the Bioavailability of Hydrophobic Organic Chemicals to Benthic Deposit-Feeders. *Environmental Science & Technology*, 36(16), 3525-3529. <https://doi.org/10.1021/es0102787>

Kupryianchyk, D., Rakowska, M. I., Grotenhuis, J. T. C., & Koelmans, A. A. (2012). Modeling Trade-off between PAH Toxicity Reduction and Negative Effects of Sorbent Amendments to Contaminated Sediments. *Environmental Science & Technology*, 46(9), 4975-4984. <https://doi.org/10.1021/es2044954>

Kupryianchyk, D., Reichman, E. P., Rakowska, M. I., Peeters, E. T. H. M., Grotenhuis, J. T. C., & Koelmans, A. A. (2011). Ecotoxicological Effects of Activated Carbon Amendments on Macroinvertebrates in Nonpolluted and Polluted Sediments. *Environmental Science & Technology*, 45(19), 8567-8574. <https://doi.org/10.1021/es2014538>

Kwon, Seokjoon, Jeff Thomas, Brian E. Reed, Laura Levine, Victor S. Magar, Daniel Farrar, Todd S. Bridges, and Upal Ghosh. 2010. "Evaluation of sorbent amendments for in situ remediation of metal contaminated sediments." *Environmental Toxicology and Chemistry*: 1883-1892. <https://doi.org/10.1002/etc.249>.

Langevin, Christian D, Hughes, Joseph D, Provost, Alden, Niswonger, Richard, Russcher, Martijn J, Panday, Sorab, & Merrick, Damian. (2022). MODFLOW Version 6.3.0, the U.S. Geological Survey Modular Hydrologic Model: U.S. Geological Survey.

Langevin, Christian D., Hughes, Joseph D., Banta, Edward, Provost, Alden, Niswonger, Richard, & Panday, Sorab. (2017). MODFLOW 6, the U.S. Geological Survey Modular Hydrologic Model: U.S. Geological Survey.

Lee, Seungbae, An, Jinsung, Kim, Young-Jin, & Nam, Kyoungphile. (2011). Binding strength-associated toxicity reduction by birnessite and hydroxyapatite in Pb and Cd contaminated sediments. *Journal of Hazardous Materials*, 186(2-3), 2117-2122. <https://doi.org/10.1016/j.jhazmat.2010.12.126>

Li, Xiao-qin, Elliott, Daniel W., & Zhang, Wei-xian. (2006). Zero-Valent Iron Nanoparticles for Abatement of Environmental

Pollutants: Materials and Engineering Aspects. *Critical Reviews in Solid State and Materials Sciences*, 31(4), 111-122. <https://doi.org/10.1080/10408430601057611>

Liu, Y., Reible, D., & Hussain, F. (2022). Roles of Tidal Cycling, Hyporheic Exchange and Bioirrigation on Metal Release From Estuary Sediments. *Water Resources Research*, 58(4), e2021WR030790. <https://doi.org/10.1029/2021WR030790>

Liu, Y., Reible, D., Hussain, F., & Fang, H. (2019). Role of Bioroughness, Bioirrigation, and Turbulence on Oxygen Dynamics at the Sediment-Water Interface. *Water Resources Research*, 55(10), 8061-8075. <https://doi.org/10.1029/2019WR025098>

Luthy, Richard G, Yeo-Myoung Cho, Upal Ghosh, Todd S Bridges, and Alan J Kennedy. 2009. Field testing of activated carbon mixing and in situ stabilization of PCBs in sediment. Environmental Security Technology Certification Program.

Lydy, Michael J, Landrum, Peter F, Oen, Amy Mp, Allinson, Mayumi, Smedes, Foppe, Harwood, Amanda D, . . . Liu, Jingfu. (2014). Passive sampling methods for contaminated sediments: State of the science for organic contaminants. *Integrated Environmental Assessment and Management*, 10(2), 167-178. <https://doi.org/10.1002/ieam.1503>

Ma, Liwang, Southwick, Lloyd M., Willis, Guye H., & Selim, H. Magdi. (1993). Hysteretic Characteristics of Atrazine Adsorption-Desorption by a Sharkey Soil. *Weed Science*, 41(4), 627-633. <https://doi.org/10.1017/S0043174500076438>

MacDonald, DD, & Ingersoll, CG. (2002). A Guidance Manual to Support the Assessment of Contaminated Sediments in Freshwater Ecosystems. Volume 1: An Ecosystem-Based Framework for Assessing and Managing Contaminated Sediments. Retrieved from Chicago, IL:

Matocha, Christopher J., Elzinga, Evert J., & Sparks, Donald L. (2001). Reactivity of Pb(II) at the Mn(III,IV) (Oxyhydr)Oxide–Water Interface. *Environmental Science & Technology*, 35(14), 2967-2972. <https://doi.org/10.1021/es0012164>

Matthews, David A., David B. Babcock, John G. Nolan, Anthony R. Prestigiacomo, Steven W. Effler, Charles T. Driscoll, Svetoslava G. Todorova, and Kenneth M. Kuhr. 2013. "Whole-lake nitrate addition for control of methylmercury in mercury-contaminated Onondaga Lake, NY." *Environmental Research* 125: 52-60. <https://doi.org/10.1016/j.envres.2013.03.011>.

Mauger, Guillaume, Joseph Casola, Harriet Morgan, Ronda Strauch, Brittany Jones, Beth Curry, Tania Busch Isaksen, Lara Whitely Binder, Meade Krosby, and Amy Snover. 2005. "State of knowledge: Climate change in Puget Sound." <https://doi.org/10.7915/CIG93777D>.

Mayer, Philipp, Thomas F Parkerton, Rachel G Adams, John G Cargill, Jay Gan, Todd Gouin, Philip M Gschwend, Steven B Hawthorne, Paul Helm, Gesine Witt, Jing You, and Beate I Escher. 2014. "Passive sampling methods for contaminated sediments: Scientific rationale supporting use of freely dissolved concentrations." *Integrated Environmental Assessment and Management* 10 (2): 197-209. <https://doi.org/10.1002/ieam.1508>.

McDonough, Kathleen M., Fairey, Julian L., & Lowry, Gregory V. (2008). Adsorption of polychlorinated biphenyls to activated carbon: Equilibrium isotherms and a preliminary assessment of the effect of dissolved organic matter and biofilm loadings. *Water Research*, 42(3), 575-584. <https://doi.org/10.1016/j.watres.2007.07.053>

McDonough, Kathleen M., Murphy, Paul, Olsa, Jim, Zhu, Yuewei, Reible, Danny, & Lowry, Gregory V. (2007). Development and Placement of a Sorbent-Amended Thin Layer Sediment Cap in the Anacostia River. *Soil and Sediment Contamination: An International Journal*, 16(3), 313-322. <https://doi.org/10.1080/15320380701285725>

McLeod, Pamela B., Luoma, Samuel N., & Luthy, Richard G. (2008). Biodynamic Modeling of PCB Uptake by *Macoma balthica* and *Corbicula fluminea* from Sediment Amended with Activated Carbon. *Environmental Science & Technology*, 42(2), 484-490. <https://doi.org/10.1021/es070139a>

McLeod, Pamela B., Van Den Heuvel-Greve, Martine J., Luoma, Samuel N., & Luthy, Richard G. (2007). Biological Uptake of Polychlorinated Biphenyls by *Macoma balthica* from Sediment Amended with Activated Carbon. *Environmental Toxicology and Chemistry*, 26(5), 980. <https://doi.org/10.1897/06-278R1.1>

Menzie, C.A. February 2012. Sedimite® A Delivery System for Amending Contaminated Sediment with Activated Carbon and/or other Amendments

Menzie, Charles, Amos, Bennett, Driscoll, Susan K, Ghosh, Upal, & Gilmour, Cynthia. (2016). Evaluating the efficacy of a low-

impact delivery system for in situ treatment of sediments contaminated with methylmercury and other hydrophobic chemicals. Retrieved from Alexandria, VA:

Millward, Rod N., Bridges, Todd S., Ghosh, Upal, Zimmerman, John R., & Luthy, Richard G. (2005). Addition of Activated Carbon to Sediments to Reduce PCB Bioaccumulation by a Polychaete (*Neanthes arenaceodentata*) and an Amphipod (*Leptocheirus plumulosus*). *Environmental Science & Technology*, 39(8), 2880-2887. <https://doi.org/10.1021/es048768x>

Miyake, Michihiro, Ishigaki, Kyoichi, & Suzuki, Takashi. (1986). Structure refinements of Pb²⁺ ion-exchanged apatites by x-ray powder pattern-fitting. *Journal of Solid State Chemistry*, 61(2), 230-235. [https://doi.org/10.1016/0022-4596\(86\)90026-5](https://doi.org/10.1016/0022-4596(86)90026-5)

Murphy, Paul, Marquette, Andre, Reible, Danny, & Lowry, Gregory V. (2006). Predicting the Performance of Activated Carbon-, Coke-, and Soil-Amended Thin Layer Sediment Caps. *Journal of Environmental Engineering*, 132(7), 787-794. [https://doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:7\(787\)](https://doi.org/10.1061/(ASCE)0733-9372(2006)132:7(787))

Najm, Issam, Gallagher, Brian, Vishwanath, Nikhil, Blute, Nicole, Gorzalski, Alexander, Feffer, Adam, & Richardson, Sarah. (2021). Per- and polyfluoroalkyl substances removal with granular activated carbon and a specialty adsorbent: A case study. *AWWA Water Science*, 3(5). <https://doi.org/10.1002/aws2.1245>

National Academies of Sciences, Engineering, Medicine. (2008). *Seismic Analysis and Design of Retaining Walls, Buried Structures, Slopes, and Embankments*. Washington, DC: National Cooperative Highway Research Program, Transportation Research Board, National Academies Press.

National Research Council. (1996). *Understanding risk: Informing decisions in a democratic society*: National Academies Press.

National Research Council. (2003). *Bioavailability of contaminants in soils and sediments: processes, tools, and applications*: National Academies Press.

National Research Council. (2009). *Science and decisions: advancing risk assessment*. Washington, DC: National Academies Press.

New Jersey Department of Environmental Protection. (2016). *Characterization of Contaminated Ground Water Discharge to Surface Water Technical Guidance*. Retrieved from https://www.nj.gov/dep/srp/guidance/srra/gw_discharge_to_sw_tech_guidance.pdf.

O'Day, P. A., & Vlassopoulos, D. (2010). Mineral-Based Amendments for Remediation. *Elements*, 6(6), 375-381. <https://doi.org/10.2113/gselements.6.6.375>

Ou, Meng-Yuan, Ting, Yu, Ch'ng, Boon-Lek, Chen, Chi, Cheng, Yung-Hua, Chang, Tien-Chin, & Hsi, Hsing-Cheng. (2020). Using Mixed Active Capping to Remediate Multiple Potential Toxic Metal Contaminated Sediment for Reducing Environmental Risk. *Water*, 12(7), 1886. <https://doi.org/10.3390/w12071886>

Palermo, M, Maynard, Steve, Miller, Jan, & Reible, Danny. (1998). *Guidance for in-situ subaqueous capping of contaminated sediments*. Retrieved from Chicago, IL:

Palermo, Michael R, James E Clausner, Marian P Rollings, Gregory L Williams, and Tommy E Myers. 1998. *Guidance for Subaqueous Dredged Material Capping*. Army Engineer Waterways Experiment Station Vicksburg MS.

Park, Richard A., Clough, Jonathan S., & Wellman, Marjorie Coombs. (2008). AQUATOX: Modeling environmental fate and ecological effects in aquatic ecosystems. *Ecological Modelling*, 213(1), 1-15. <https://doi.org/10.1016/j.ecolmodel.2008.01.015>

Parrett, K, & Blishke, H. (2005). 23-acre multilayer sediment cap in dynamic riverine environment using organoclay as adsorptive capping material. SETAC Presentation.

Parsons Engineering Science, Inc. (2014). *Onondaga Lake: Cap Porewater Sampling Methods Demonstration Work Plan*. Retrieved from <http://www.lakecleanup.com/publicdocs/docs/8a6df538-6c45-46f6-9a3f-4654b3d2625d.pdf>

Patmont, Clayton R, Upal Ghosh, Paul LaRosa, Charles A Menzie, Richard G Luthy, Marc S Greenberg, Gerard Cornelissen, Espen Eek, John Collins, John Hull, Tore Hjartland, Edward Glaza, John Bleiler, and James Quadrini. 2015. "In situ sediment treatment using activated carbon: A demonstrated sediment cleanup technology." *Integrated Environmental Assessment and Management* 11 (2): 195-207. <https://doi.org/10.1002/ieam.1589>.

Peld, Merike, Tõnsuaadu, Kaia, & Bender, Villem. (2004). Sorption and Desorption of Cd²⁺ and Zn²⁺ Ions in Apatite-Aqueous Systems. *Environmental Science & Technology*, 38(21), 5626-5631. <https://doi.org/10.1021/es049831l>

Pernyeszi, Tímea, Kasteel, Roy, Witthuhn, Barbara, Klahre, Peter, Vereecken, Harry, & Klumpp, Erwin. (2006). Organoclays for soil remediation: Adsorption of 2,4-dichlorophenol on organoclay/aquifer material mixtures studied under static and flow conditions. *Applied Clay Science*, 32(3-4), 179-189. <https://doi.org/10.1016/j.clay.2006.01.004>

Ponder, Sherman M., Darab, John G., & Mallouk, Thomas E. (2000). Remediation of Cr(VI) and Pb(II) Aqueous Solutions Using Supported, Nanoscale Zero-valent Iron. *Environmental Science & Technology*, 34(12), 2564-2569. <https://doi.org/10.1021/es9911420>

Presidential/Congressional Commission. (1997). Framework for Environmental Health Risk Management. Final Report. Volume 1. Washington, DC.

Presidential/Congressional Commission. (1997). Risk Assessment and Risk Management in Regulatory Decision-Making (Final Report, Volume 2). US Government Printing Office, Washington, DC.

Quality, Oregon Department of Environmental. (2017). Record of Decision—Selected Remedial Action for Former Portland Gas Manufacturing. Portland, Oregon.

Quality, Oregon Department of Environmental. (2023). Zidell Waterfront Property.

Reible, D, Lu, X, Khanam, A, & Blischke, H. (2007). Organoclay for control of NAPLs in sediments. Paper presented at the Proceedings, 4th International Conference on Remediation of Contaminated Sediments, Battelle, Savannah, GA, USA, January.

Reible, Danny D., & Lampert, David J. (2014). Capping for Remediation of Contaminated Sediments. In Danny D. Reible (Ed.), *Processes, Assessment and Remediation of Contaminated Sediments* (Vol. 6, pp. 325-363). New York, NY: Springer New York.

Reible, Danny, Lampert, David, Constant, David, Mutch Jr., Robert D., & Zhu, Yuewei. (2006). Active capping demonstration in the Anacostia river, Washington, D.C. *Remediation Journal*, 17(1), 39-53. <https://doi.org/10.1002/rem.20111>

Reible, Danny, Lu, X, & Blischke, H. (2005). Organoclay for the Control of NAPLs in Sediments. Paper presented at the Society of Environmental Toxicology and Chemistry 26th Annual Meeting, Baltimore, MD.

Reible, Danny, Shen, Xiaolong, & Lampert, David. (2021). CapSim 4.0 Quick-Start Manual. In. *Remediation of Contaminated Sediments*, Savannah, Georgia.

Riley, John (Manistique River AOC Coordinator). 2021. Removal Recommendation Restrictions on Dredging Activities Beneficial Use Impairment Manistique River Area of Concern.

Roelvink, JA, & Van Banning, GKFM. (1995). Design and development of DELFT3D and application to coastal morphodynamics. *Oceanographic Literature Review*, 11(42), 925.

Ruiz, Carlos E., Nadim M. Aziz, and Paul R. Schroeder. 2001. "RECOVERY: A contaminated sediment-water interaction model." *Environmental Modeling and Assessment* 6 (3): 151-158. <https://doi.org/10.1023/A:1011913512327>.

Ruiz, C.E., Aziz, N.M., Schroeder, P.R., Dortch, S., & Gerald, T.K. (2007). RECOVERY Version 4.3: An improved contaminated sediment-water interaction model. Paper presented at the Fourth International Conference on

Ruiz, Carlos E., Aziz, Nadim M., & Schroeder, Paul R. (2001). RECOVERY: A contaminated sediment-water interaction model. *Environmental Modeling and Assessment*, 6(3), 151-158. <https://doi.org/10.1023/A:1011913512327>

Saeedi, M., Li, L. Y., Karbassi, A. R., & Zanjani, A. J. (2013). Sorbed metals fractionation and risk assessment of release in river sediment and particulate matter. *Environmental monitoring and assessment*, 185(2), 1737-1754. <https://doi.org/10.1007/s10661-012-2664-3>

Sayles, Gregory D., You, Guanrong, Wang, Maoxiu, & Kupferle, Margaret J. (1997). DDT, DDD, and DDE Dechlorination by Zero-Valent Iron. *Environmental Science & Technology*, 31(12), 3448-3454. <https://doi.org/10.1021/es9701669>

- Shackelford, Charles D, Benson, Craig H, Katsumi, Takeshi, Edil, Tuncer B, & Lin, L. (2000). Evaluating the hydraulic conductivity of GCLs permeated with non-standard liquids. *Geotextiles and Geomembranes*, 18(2-4), 133-161.
- Shackelford, Charles D, Benson, Craig H, Katsumi, Takeshi, Edil, Tuncer B, & Lin, L. (2000). Evaluating the hydraulic conductivity of GCLs permeated with non-standard liquids. *Geotextiles and Geomembranes*, 18(2-4), 133-161. [https://doi.org/10.1016/S0266-1144\(99\)00024-2](https://doi.org/10.1016/S0266-1144(99)00024-2)
- Sharma, Bhawana, Gardner, Kevin H., Melton, Jeffrey, Hawkins, Amy, & Tracey, Gregory. (2009). Evaluation of Activated Carbon as a Reactive Cap Sorbent for Sequestration of Polychlorinated Biphenyls in the Presence of Humic Acid. *Environmental Engineering Science*, 26(9), 1371-1379. <https://doi.org/10.1089/ees.2008.0231>
- Shen, Xiaolong, Lampert, David, Ogle, Stephen, & Reible, Danny. (2018). A software tool for simulating contaminant transport and remedial effectiveness in sediment environments. *Environmental Modelling & Software*, 109, 104-113. <https://doi.org/10.1016/j.envsoft.2018.08.014>
- Shin, Wooseok, & Kim, Young-Kee. (2016). Stabilization of heavy metal contaminated marine sediments with red mud and apatite composite. *Journal of Soils and Sediments*, 16(2), 726-735. <https://doi.org/10.1007/s11368-015-1279-z>
- Society, Australasian Chapter of the International Geosynthetics. (2023). Subaqueous Capping of highly contaminated sediments at Kendall Bay - Case Study. Retrieved from <https://www.acigs.org/news/subaqueous-capping-highly-contaminated-sediments-kendall-bay-case-study>
- Sowers, K.R. (Producer). (2019). In-Situ PCB Dechlorination & Degradation with Bioamended GAC. Retrieved from https://clu-in.org/conf/tio/ContSed3_111319/slides/5Slide_Presentation_for_Kevin_R._Sowers_Ph.D._Department_of_Marine_Bioiotechnology_University_of_Maryland_Baltimore_County.pdf
- Stewart, Richard, & McFarland, Ross. (2016). Leachability Characteristics of Per-and Polyfluoroalkyl Substances (PFAS) in 14 Soils from Airport Sites across Australia. In: ECOFORUM.
- Sun, Xueli, & Ghosh, Upal. (2007). PCB Bioavailability Control in *Lumbriculus Variegatus* through Different Modes of Activated Carbon Addition to Sediments. *Environmental Science & Technology*, 41(13), 4774-4780. <https://doi.org/10.1021/es062934e>
- Takeuchi, Yasushi, & Arai, Hironori. (1990). Removal of coexisting Pb²⁺, Cu²⁺ and Cd²⁺ ions from water by addition of hydroxyapatite powder. *JOURNAL OF CHEMICAL ENGINEERING OF JAPAN*, 23(1), 75-80. <https://doi.org/10.1252/jcej.23.75>
- Teal, Lr, Bulling, Mt, Parker, Er, & Solan, M. (2008). Global patterns of bioturbation intensity and mixed depth of marine soft sediments. *Aquatic Biology*, 2(3), 207-218. <https://doi.org/10.3354/ab00052>
- Thibodeaux, Louis J. (1996). *Environmental chemodynamics: Movement of chemicals in air, water, and soil (Vol. 110)*: John Wiley & Sons.
- Thoma, Greg J., Reible, Danny D., Valsaraj, Kalliat T., & Thibodeaux, Louis J. (1993). Efficiency of capping contaminated sediments in situ. 2. Mathematics of diffusion-adsorption in the capping layer. *Environmental Science & Technology*, 27(12), 2412-2419. <https://doi.org/10.1021/es00048a015>
- Tomaszewski, Jeanne E., Werner, David, & Luthy, Richard G. (2007). Activated Carbon Amendment as a Treatment for Residual DDT in Sediment from a Superfund Site in San Francisco Bay, Richmond, California, USA. *Environmental Toxicology and Chemistry*, 26(10), 2143. <https://doi.org/10.1897/07-179R.1>
- USACE. (2011). *Sea-Level Change Considerations for Civil Works Programs*. In. Washington, DC: U.S. Army Corps of Engineers.
- USACE. (2013). *Hydrographic Surveying*. EM 1110-2-1003. Washington, DC: U.S. Army Corps of Engineers, Washington, D.C. Retrieved from https://www.publications.usace.army.mil/Portals/76/Publications/EngineerManuals/EM_1110-2-1003.pdf?ver=gDGVUj_0XR2sXHilpQZv2Q%3d%3d.
- USEPA. (1989). *Risk Assessment Guidance for Superfund (RAGS), (Part A) Volume I, Human Health Evaluation Manual*. EPA/540/1-89/002. Washington, DC: U.S. Environmental Protection Agency.
- USEPA. (1997). *Ecological Risk Assessment Guidance for Superfund: Process for Designing and Conducting Ecological Risk*

Assessment, Interim Final. EPA 540-R-97-OCS. Edison, NJ: Office of Solid Waste and Emergency Response.

USEPA. (1998). Ecological Risk Assessment Guidance for Superfund: Process for Designing and Conducting Ecological Risk Assessment. EPA 540-R-97-006, OSWER 9285.7-25, PB97-963211. Washington, DC: U.S. Environmental Protection Agency.

USEPA. (2000). Supplementary guidance for conducting health risk assessment of chemical mixtures. EPA/630/R-00/002. U.S. Environmental Protection Agency.

USEPA. (2001). Risk assessment guidance for superfund (RAGS), Volume III-Part A: Process for conducting probabilistic risk assessment, Appendix B. Office of Emergency and Remedial Response, U.S. Environmental Protection Agency, III.

USEPA. (2002a). Guidance for quality assurance project plans. Washington, DC: U.S. Environmental Protection Agency.

USEPA. (2002b). Role of Background in the CERCLA Cleanup Program. Office of Emergency and Remedial Response, U.S. Environmental Protection Agency Retrieved from https://www.epa.gov/sites/default/files/2015-11/documents/bkgpol_jan01.pdf.

USEPA. (2005). Contaminated Sediment Remediation Guidance for Hazardous Waste Sites. EPA-540-R-05-012. Office of Solid Waste and Emergency, U.S. Environmental Protection Agency Retrieved from <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=P1000R7F.TXT>.

USEPA. (2007). Guidance for evaluating the oral bioavailability of metals in soils for use in human health risk assessment. OSWER, 9285, 7-80.

USEPA. (2009). Guidance on the development, evaluation, and application of environmental models. EPA/100/K-09/003. Washington DC: Council for Regulatory Environmental Modeling, Office of the Science Advisor. Retrieved from <https://www.epa.gov/measurements-modeling/guidance-document-development-evaluation-and-application-environmental-models>.

USEPA. (2011a). Exposure Factors Handbook 2011 Edition (Final Report). EPA/600/R-090/052F. Washington, DC: U.S. Environmental Protection Agency.

USEPA. (2011b). Five Year Review Report for Tennessee Products Superfund Site. Chattanooga, TN: U.S. Environmental Protection Agency.

USEPA. (2015a). Climate change adaptation technical fact sheet: Contaminated sediment remedies. EPA 542-F-15-009. U.S. Environmental Protection Agency Retrieved from https://www.epa.gov/sites/default/files/2018-08/documents/contaminated_sediments.pdf.

USEPA. (2015b). Determination of the Biologically Relevant Sampling Depth For Terrestrial and Aquatic Ecological Risk Assessments (Final Report). EPA/600/R-15/176. Cincinnati, OH: Ecological Risk Assessment Support Center Retrieved from https://www.epa.gov/sites/default/files/2015-11/documents/bkgpol_jan01.pdf.

USEPA. (2022a). Adaptive Site Management – A Framework for Implementing Adaptive Management at Contaminated Sediment Superfund Sites. Sediment Assessment and Monitoring Sheet. OLEM Directive Number 9200.1-166. U.S. Environmental Protection Agency Retrieved from <https://semspub.epa.gov/work/HQ/100003040.pdf>.

USEPA. (2022b, August 1, 2022). Climate Change Indicators: Weather and Climate. Retrieved from <https://www.epa.gov/climate-indicators/weather-climate>

USGS. (2019, February 27, 2019). Oxidation/Reduction (Redox). Retrieved from <https://www.usgs.gov/mission-areas/water-resources/science/oxidationreduction-redox>

Viana, Priscilla Z, & Rockne, Karl J. (2021). Fundamentals of Ebullition Facilitated NAPL and Contaminant Transport. Applied NAPL Science Review, 10(3).

Viana, Priscilla Z, & Rockne, Karl J. (2022). Assessment and Control of Ebullition Facilitated NAPL and Contaminant Transport in Sediment. Applied NAPL Science Review, 10(3).

Vlassopoulos, Dimitri, Masakazu Kanematsu, Elizabeth A. Henry, Jessica Goin, Alexander Leven, David Glaser, Steven S. Brown, and Peggy A. O'Day. 2018. "Manganese(iv) oxide amendments reduce methylmercury concentrations in sediment

porewater." *Environmental Science: Processes & Impacts* 20 (12): 1746-1760. <https://doi.org/10.1039/C7EM00583K>.

Vlassopoulos, Dimitri, Kevin Russell, Paul Larosa, Randy Brown, Ram Mohan, Edward Glaza, Tom Drachenberg, Danny Reible, William Hague, and John McAuliffe. 2017. "Evaluation, Design, and Construction of Amended Reactive Caps to Restore Onondaga Lake, Syracuse, New York, USA." *Journal of Marine Environmental Engineering* 10 (1).

Wang, Chuan-Bao, & Zhang, Wei-xian. (1997). Synthesizing Nanoscale Iron Particles for Rapid and Complete Dechlorination of TCE and PCBs. *Environmental Science & Technology*, 31(7), 2154-2156. <https://doi.org/10.1021/es970039c>

Welty, James, Rorrer, Gregory L, & Foster, David G. (2014). *Fundamentals of momentum, heat, and mass transfer*: John Wiley & Sons.

Werner, David, Higgins, Christopher P., & Luthy, Richard G. (2005). The sequestration of PCBs in Lake Hartwell sediment with activated carbon. *Water Research*, 39(10), 2105-2113. <https://doi.org/10.1016/j.watres.2005.03.019>

Winter, TC, Harvey, JW, Franke, OL, & Alley, WM. (1998). *Groundwater and surface water: A single resource*. Circular 1139. U.S. Geological Survey.

Xu, Yuping., Schwartz, Franklin W., & Traina, Samuel J. (1994). Sorption of Zn²⁺ and Cd²⁺ on Hydroxyapatite Surfaces. *Environmental Science & Technology*, 28(8), 1472-1480. <https://doi.org/10.1021/es00057a015>

Yong, Soon Kong, Shrivastava, Manoj, Srivastava, Prashant, Kunhikrishnan, Anitha, & Bolan, Nanthi. (2015). Environmental Applications of Chitosan and Its Derivatives. In David M. Whitacre (Ed.), *Reviews of Environmental Contamination and Toxicology Volume 233* (Vol. 233, pp. 1-43). Cham: Springer International Publishing.

Yozzo, David J., Wilber, Pace, & Will, Robert J. (2004). Beneficial use of dredged material for habitat creation, enhancement, and restoration in New York-New Jersey Harbor. *Journal of Environmental Management*, 73(1), 39-52. <https://doi.org/10.1016/j.jenvman.2004.05.008>

Zamora, Celia. (2008). *Estimating water fluxes across the sediment-water interface in the lower Merced River, California*: U.S. Department of the Interior, U.S. Geological Survey.

Zhang, Chang, Zhu, Meng-ying, Zeng, Guang-ming, Yu, Zhi-gang, Cui, Fang, Yang, Zhong-zhu, & Shen, Liu-qing. (2016). Active capping technology: a new environmental remediation of contaminated sediment. *Environmental Science and Pollution Research*, 23(5), 4370-4386. <https://doi.org/10.1007/s11356-016-6076-8>

Zhong, Gansheng, Liu, Yunsong, & Tang, Yuanyuan. (2021). Oyster shell powder for Pb(II) immobilization in both aquatic and sediment environments. *Environmental Geochemistry and Health*, 43(5), 1891-1902. <https://doi.org/10.1007/s10653-020-00768-z>

Zimmerman, John R., Ghosh, Upal, Millward, Rod N., Bridges, Todd S., & Luthy, Richard G. (2004). Addition of Carbon Sorbents to Reduce PCB and PAH Bioavailability in Marine Sediments: Physicochemical Tests. *Environmental Science & Technology*, 38(20), 5458-5464. <https://doi.org/10.1021/es034992v>

Zimmerman, John R., Werner, David, Ghosh, Upal, Millward, Rod N., Bridges, Todd S., & Luthy, Richard G. (2005). Effects of Dose and Particle Size on Activated Carbon Treatment to Sequester Polychlorinated Biphenyls and Polycyclic Aromatic Hydrocarbons in Marine Sediments. *Environmental Toxicology and Chemistry*, 24(7), 1594. <https://doi.org/10.1897/04-368R.1>